

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:47
L2	0	(snmp same icmp same (mib or (management adj information adj base))).clm. and (MIB near2 (printer or bridge or repeater)). clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:48
L4	7	@ay< "2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:59
S1	2337	@ay< "2000" and 709/223,224.ccls.	US-PGPUB; USPAT	OR	ON	2004/06/09 16:19
S2	196	@ay< "2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent)	US-PGPUB; USPAT	OR	ON	2004/05/28 15:05

S3	37	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol")	US-PGPUB; USPAT	OR	ON	2004/05/28 15:06
S4	37	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol")	US-PGPUB; USPAT	OR	ON	2004/05/28 15:06
S5	6	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$)	US-PGPUB; USPAT	OR	ON	2005/01/17 19:07
S6	1	"5774669".pn.	US-PGPUB; USPAT	OR	ON	2007/06/21 23:05
S7	66	@ay<"2000" and "709".clas. and (server with authentication with prox\$)	US-PGPUB; USPAT	OR	ON	2004/06/09 16:24
S8	1	"585296".pn. "5638446".pn.	US-PGPUB; USPAT	OR	ON	2004/06/09 16:22
S9	2	"5875296".pn. "5638446".pn.	US-PGPUB; USPAT	OR	ON	2004/06/09 16:22
S10	1	@ay<"2000" and "709".clas. and (server with authentication with prox\$) and ("trusted site")	US-PGPUB; USPAT	OR	ON	2004/06/09 16:25

S11	6	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9)	US-PGPUB; USPAT	OR	ON	2005/01/17 19:07
S12	6	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9) not hitachi.as.	US-PGPUB; USPAT	OR	ON	2005/01/17 19:26
S13	6	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9 or status) not hitachi.as.	US-PGPUB; USPAT	OR	ON	2005/01/17 19:27

S14	6	@ay< "2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) not hitachi.as.	US-PGPUB; USPAT	OR	ON	2005/01/17 19:28
S15	6	@ay< "2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) not hitachi.as.	US-PGPUB; USPAT	OR	ON	2005/01/17 19:28
S16	6	@ay< "2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) not hitachi.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:37

S17	4	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) and (port with (number or information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:44
S18	2	@ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) and ((scan\$5 or search\$5 or retriev\$5 or gather\$5 or obtain\$5) with port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:47
S19	199	@ay<"2000" and 709/223,224.ccls. and ((scan\$5 or search\$5 or retriev\$5 or gather\$5 or obtain\$5) with port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:47
S20	199	@ay<"2000" and 709/223,224.ccls. and ((scan\$5 or search\$5 or retriev\$5 or gather\$5 or obtain\$5) with port)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/17 16:48

S21	21	@ay<"2000" and 709/223,224.ccls. and ((scan\$5 or search\$5 or retriev\$5 or gather\$5 or obtain\$5) with port) and (network with (manag\$7 or monitor\$5)).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/17 16:53
S22	64	@ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or determin\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (device or type))	US-PGPUB; USPAT	OR	ON	2006/11/26 18:18
S23	54	@ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (device or type))	US-PGPUB; USPAT	OR	ON	2006/11/26 18:17
S24	15	@ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (type))	US-PGPUB; USPAT	OR	ON	2006/11/26 18:17
S25	8	@ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or determin\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (device with type))	US-PGPUB; USPAT	OR	ON	2006/11/26 18:21
S26	1	"20020032761"	US-PGPUB; USPAT	OR	ON	2006/11/26 18:21
S27	1	"6377987".pn.	US-PGPUB; USPAT	OR	ON	2007/06/21 23:05
S28	269	709/223,224.ccls. and ((multiple or plural or plurality) with (IP adj address) with (device or node or computer or apparatus))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:42

S29	692	709/223,224.ccls. and ((multiple or plural or plurality) with (IP adj address))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:42
S30	3	709/223,224.ccls. and ((multiple or plural or plurality) adj3 (IP adj address)) with ((single or each or one) adj (node or device or computer or apparatus))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:43
S31	12	@ay< "2000" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 13:30
S32	0	@ay< "2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (printer near2 mib)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 13:56
S33	0	@ay< "2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (printer near2 mib) and (repeater near mib)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 13:56
S34	0	@ay< "2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and ((printer near2 mib) or (repeater near mib))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 13:56

S35	4	@ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (icmp with echo)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 19:03
S36	1	@ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (icmp with echo) and (MIB with (printer or bridge or repeater))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 19:04
S37	1	@ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (icmp with echo) and (MIB near2 (printer or bridge or repeater))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/08/28 19:04

## EAST Search History (I interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	(snmp same icmp same (mib or (management adj information adj base))).cml. and (MIB near2 (printer or bridge or repeater)). cml.	USPAT; UPAD	OR	ON	2009/08/28 20:48



S38	0	@ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm.	USPAT; UPAD	OR	ON	2009/08/28 19:09
S39	0	@ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/08/28 19:10
S40	0	@ay<"2001" and (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/08/28 19:10
S41	0	(snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/08/28 19:10

8/ 28/ 09 9:52:12 PM

C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces  
\ azizul09772709.wsp